

# YOULECAR



YOUR FULLY CUSTOMIZABLE  
TECARTHERAPY

GENERAL CATALOGUE (06.2021)



# YOUTECARX BASE

## READY FOR ACTION

Everything you need to start working



### Configuration:

**Power:** 150 Watt

**Frequency:** 500 KHz

**Output:** Unipolar

**Emission:** Continuous

### Includes:

- 1 cable for unipolar applications Res/Cap
- 1 Handpiece for Res/Cap Unipolar Apps
- 1 Resistive Unipolar Electrode  
Ø 61 mm (medium size)
- 1 Capacitive Unipolar Electrode  
Ø 61 mm (medium size)
- 1 Steel Neutral Plate 14x20 cm
- 1 cable for disposable neutral electrode
- 5 disposable neutral electrodes
- 1 power cable

# CORE & SYSTEM

Select power level, frequencies, and form of emission

The AUX outlet opens up a whole new world of possibilities



## POWER

200W

250W

## FREQUENCY

STANDARD PACK (500 MHz / 750 MHz / 1 MHz)

ON DEMAND (500 kHz + a choice of two freq. from 300 kHz to 1 MHz)

## EMISSION

SENSITIVE ATHERMY

HEA (HIGH ENERGY ATHERMY) \*

ATHERMY PACK (SENSITIVE + HEA) \*

\* Available only with 200W or 250W power

## MORE FEATURES


AUXILIARY OUTLET (+ multifunctional cable)

JOULE MODE


# UNIPOLAR

Complete your accessory kit for traditional unipolar mode operation  
(active electrode + neutral plate)


CODE	DESCRIPTION
YTX-ELCAP41	Capacitive Unipolar Electrode Ø 41 mm
YTX-ELCAP61	Capacitive Unipolar Electrode Ø 61 mm
YTX-ELCAP81	Capacitive Unipolar Electrode Ø 81 mm



YTX-ELCAP41



YTX-ELCAP61




YTX-ELCAP81



# UNIPOLAR

Complete your accessory kit for traditional unipolar mode operation  
(active electrode + neutral plate)

CODE	DESCRIPTION
YTX-ELRES41	Resistive Unipolar Electrode Ø 41 mm
YTX-ELRES61	Resistive Unipolar Electrode Ø 61 mm €
YTX-ELRES81	Resistive Unipolar Electrode Ø 81 mm €



YTX-ELRES41



YTX-ELRES61



YTX-ELRES81



# UNIPOLAR

Complete your accessory kit for traditional unipolar mode operation  
(active electrode + neutral plate)

CODE	DESCRIPTION
ELNH	Steel Neutral Plate 14x20 cm
CAVO-U	Cable for Unipolar Applications Res/Cap
YTX-MAN-U	Handpiece for Unipolar Applications Res/Cap

YTX-MAN-U



CAVO-U




ELNH




# BIPOLAR

Work without neutral plate using BIPOLAR accessories  
Requires implementation of the AUX outlet


CODE	DESCRIPTION
YTX-ELCAP41B	Capacitive Bipolar Electrode Ø 41 mm
YTX-ELCAP61B	Capacitive Bipolar Electrode Ø 61 mm
YTX-ELCAP81B	Capacitive Bipolar Electrode Ø 81 mm
YTX-VERT	Resistive Bipolar Paravertebral Electrode (adjustable heads distance)
YTX-MAN-B	Handpiece for Res/Cap Bipolar Applications




YTX-ELCAP41B



YTX-ELCAP61B



YTX-ELCAP81B



YTX-MAN-B




YTX-VERT

# NEUTRODINAMICO®

Dynamic applications with two active handpieces and without neutral plate, using NeutroDinamico® accessories

Requires implementation of the AUX outlet

CODE	DESCRIPTION
CAVO-ND	Multifunctional Aux Cable
YTX-MAN-ND	NeutroDinamico® Handpiece
YTX-ELND41	NeutroDinamico® Electrode Ø 41 mm
YTX-ELND61	NeutroDinamico® Electrode Ø 61 mm
YTX-ELND81	NeutroDinamico® Electrode Ø 81 mm



YTX-ELND41



YTX-ELND61



YTX-ELND81



YTX-MAN-ND


CAVO-ND

# AUTOMATIC APPS

Not operator-dependent

Requires implementation of the AUX outlet

CODE	DESCRIPTION
CONTOUR/L	Contour Electrode Large 48x48 mm (4 pcs)
CONTOUR/S	Contour Electrode Small 30x30 mm (4 pcs)
CONTOUR/N	Contour Electrode Neutral 100x81 mm (2 pcs)
OCTOPUS	Kit for Contour Automatic Applications consisting of: 8 Contour electrodes large size 8 Contour electrodes small size 2 Contour electrodes neutral size 1 Black Hub 1 White Hub 2 Elastic Bands 100cm 1 Kinesio Tape roll
CAVO-OCTO	Adapter cable CLIP/2MM for Neutral connection - Contour System
HUB-N	Hub Contour Black
HUB-B	Hub Contour White




# AUTOMATIC APPS

Not operator-dependent

Requires implementation of the AUX outlet

CODE	DESCRIPTION
ELAUTO	Kit for Static Automatic Applications including: Main cable and connections 4 resistive clips electrodes 2 elastic bands



ELAUTO

# JOULE MODE


Set your treatment by controlling the energy level in Joules  
Requires implementation of the AUX outlet

## DESCRIPTION

Enables the Joule Mode Software

### Includes free Contour Automatic Applications Kit:

- 8 Contour electrodes large size
- 8 Contour electrodes small size
- 2 Contour electrodes neutral size
- 1 Black Hub
- 1 White Hub
- 2 Elastic Bands 100cm



# INTIMITY

Pelvic Floor rehabilitation  
Requires implementation of the AUX outlet

CODE	DESCRIPTION
ENDO	Endoprobe Unipolar vaginal Probe Ø 20 mm
ENDOB	Endoprobe Bipolar vaginal Probe Ø 20 mm
ENDOA	Endoprobe Unipolar anal Probe Ø 12 mm
YTX-MAN-B	Handpiece for Res/Cap Bipolar Applications
YTX-ELCAP41B	Capacitive Bipolar Electrode Ø 41 mm
ELAUTO	Kit for Static Automatic Applications including: Main cable and connections 4 resistive clips electrodes 2 elastic bands
POINT	Unipointer

ENDO



ENDOB




ENDOA




POINT



YTX-ELCAP41B



YTX-MAN-B



ELAUTO




# BEAUTY

Physio-aesthetics Accessories


Requires implementation of the AUX outlet

CODE	DESCRIPTION
YTX-ELCAP41	Capacitive Unipolar Electrode Ø 41 mm
YTX-ELCAP61	Capacitive Unipolar Electrode Ø 61 mm
YTX-ELCAP81	Capacitive Unipolar Electrode Ø 81 mm
YTX-ELRES41	Resistive Unipolar Electrode Ø 41 mm
YTX-ELRES61	Resistive Unipolar Electrode Ø 61 mm €
YTX-ELRES81	Resistive Unipolar Electrode Ø 81 mm €
YTX-ELCAP41B	Capacitive Bipolar Electrode Ø 41 mm
YTX-ELCAP61B	Capacitive Bipolar Electrode Ø 61 mm
YTX-ELCAP81B	Capacitive Bipolar Electrode Ø 81 mm
YTX-MAN-B	Handpiece for Res/Cap Bipolar Applications
YTX-LIFT	FaceLift Bipolar Resistive electrode
POINT	Unipointer


YTX-ELCAP



YTX-ELRES



YTX-ELCAPB




YTX-LIFT



POINT



YTX-MAN-B



# TRIGGER & FASCIA

Requires implementation of the AUX outlet

CODE	DESCRIPTION
POINT	Unipointer

CODE	DESCRIPTION
YTX-FASCIA	Fascia Multifunctional Tool

POINT



YTX-FASCIA

# PRACTICALITY

## PORTABILITY

CODE	DESCRIPTION
YTX-BTROLLEY	YTX Trolley Bag with accessories holder (IATA cabin size)
YTX-CARR	YoutecarX Cart (Dimensions: cm H85xW46xD36,5 Weight: 14 kg)

YTX-BTROLLEY




YTX-CARR



# DETAILS

## COLOURS

CODE	DESCRIPTION
YTX-Blue	Included with the Basic Version
	Available only with a "Core & System" upgrade
YTX-White	YoutecarX with White finish
YTX-Yellow	YoutecarX with Yellow finish
YTX-Silver	YoutecarX with Silver finish
YTX-Red	YoutecarX with Red finish



# UTILITIES

## CONSUMABLES

CODE	DESCRIPTION
YTXCREAM1	Yotecar Conductive Cream 1000 ml (6/pcs package + 1 dispenser)
YTXCREAM150	Yotecar Conductive Cream 150 ml
YT-PURECREAM500	Yotecar Pure Cream 500 ml
YT-INTYGEL250	Yotecar Intimity Gel 250 ml
F7820	Sticker and Disposable Neutral gel electrode 217X105 mm, conductive area 118 cmq
F7805	Sticker and Disposable Neutral gel electrode 202X101 mm, conductive area 132 cmq (25 pcs/package)
PATCH45	Patch Gel 45mm (12 pcs/package)
PATCH65	Patch Gel 65mm (12 pcs/package)
PG477	Sticker and Disposable gel electrode 75x140 mm clip (4 pcs/package)
PG955/10M	Elastic Blue Band (H: 10 cm, L: 100cm)



# INSPIRATIONS

YoutecarX can be fully customized by professionals for their own specific needs.

There is also a choice of configurations designed for specific Targets.

**Discover the Inspirations we have created!**

INSPIRATION CONFIGURATIONS ARE DISCOUNTED  
5% ON LIST PRICE



# SPORT

- **POWER:** 250W
- **FREQUENCY:** 500 KHz – 750 KHz – 1 MHz (Frequency Pack Standard)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** Athermy Pack
- 3 Resistive Unipolar Electrodes (Ø 41, 61, 81 mm)
- 2 Capacitive Unipolar Electrodes (Ø 41, 81 mm)
- 1 NeutroDinamico® Handpiece
- 1 Octopus Kit

# BEAUTY

- **POWER:** 200W
- **FREQUENCY:** 500 KHz – 800 KHz – 1000 KHz (Frequency On Demand Pack)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** Sensitive Athermy
- 1 Resistive Unipolar Electrode (Ø 81 mm)
- 1 Capacitive Unipolar Electrode (Ø 81 mm)
- 1 Handpiece for Res/Cap Bipolar Applications
- 1 Resistive Bipolar Electrode Facelift
- 1 Capacitive Bipolar Electrode (Ø 41 mm)
- 1 Unipointer

# INTIMITY

- **POWER:** 200W
- **FREQUENCY:** 500 KHz – 750 KHz – 1 MHz (Frequency On Demand Pack)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** Sensitive Athermy
- 1 Resistive Unipolar Electrode (Ø 41 mm)
- 1 Capacitive Unipolar Electrode (Ø 41 mm)
- 1 Handpiece for Res/Cap Bipolar Applications
- 2 Capacitive Bipolar Electrodes (Ø 41, 61 mm)
- 1 Endoprobe Unipolar vaginal Probe Ø 20 mm
- 1 Endoprobe Unipolar anal Probe Ø 12 mm
- 1 Elauto Kit for static-automatic applications
- 1 Octopus Kit

# FASCIA

- **POWER:** 200W
- **FREQUENCY:** 300 KHz – 500 KHz – 1 MHz (Frequency On Demand Pack)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** High Energy Athermy
- 1 Fascia Multifunctional Tool
- 1 Handpiece for Res/Cap Bipolar Applications
- 3 Capacitive Bipolar Electrodes (Ø 41, 61, 81 mm)
- 1 Resistive Bipolar Paravertebral Electrode (adjustable heads distance)
- 1 Unipointer

# JOULE

- **POWER:** 200W
- **FREQUENCY:** 500 KHz (included)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** Continuous (included)
- **JOULE MODE:** Enabled
- 1 Octopus Kit

# TOP PHYSIO

- **POWER:** 250W
- **FREQUENCY:** 300 KHz – 500 KHz – 1 MHz (Frequency Pack on Demand)
- **OUTPUT:** Auxiliary Outlet Enabled (Multifunctional Cable Included)
- **EMISSION:** Athermy Pack
- 2 Resistive Unipolar Electrode (Ø 41, 81 mm)
- 2 Capacitive Unipolar Electrode (Ø 41, 81 mm)
- 1 Handpiece for Res/Cap Bipolar Applications
- 3 NeutroDinamico® Electrodes (Ø 41, 61, 81 mm)
- 1 NeutroDinamico® Handpiece
- 1 Resistive Bipolar Paravertebral Electrode (adjustable heads distance)
- 3 Capacitive Bipolar Electrodes (Ø 41, 61, 81 mm)
- 1 Octopus Kit



YOU1ECAR



FOR MORE INFORMATION  
**CONTACT OUR SPECIALISTS**



By Youmed s.r.l

Via Enrico Pallini, 9  
Roma (Italia)

[www.youtecarx.com](http://www.youtecarx.com)